

Product Name: ECOBEE

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Description

Product Name : ECOBEE
Chemical Family : Mixture of specific polymers

1.2. Relevant identified uses of the substance or mixture and uses advised against

The product is used as a wetting agent and degasser for the textile industry.

1.3. Company Information

Company Name : DENG KİMYA & TEKSTİL SAN. TİC. A.Ş.
Address : Velimeşe Organize Sanayi Bölgesi Mah. 259. Sok.
No:4/1 Ergene/TEKİRDAĞ
Phone : +90 (0282) 674 54 00 (Pbx)
Fax : +90 (0282) 674 50 01
E-mail : sdulger@dengekimya.com
Related contact person : Seda Dülger

1.4. Emergency telephone number

First Aid : 112
Fair Station : 110
Poison information center : 114

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Physicochemical effect : Not related.


Human health : Eye Damage Cat. 2; H319 Causes serious eye irritation
Acute Toxic Cat. 4; H332 Harmful If inhaled.

Environmental effect : Aquatic Chronic Cat. 2; H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling (REGULATION (EC) No 1272/2008)

Product Name: ECOBEE

Product Label (REGULATION (EC) No 1272/2008)	
	
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation H332 Harmful If inhaled. H411 Toxic to aquatic life with long lasting effects
Precautionary Statements	P264: Wash with water thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P362: Take off contaminated clothing and wash before reuse. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337 + P313: If eye irritation persists: Get medical advice/attention. P391: Collect spillage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Containing the hazardous materials

Substance Name	CAS NO	EC NO	Conc.(%)	Classification
				(REGULATION (EC) No 1272/2008)
Special Polymer	Trade secret	-	<%99	Eye Damage Cat. 2; H319 Acute Tox. Cat. 4; H332 Aquatic Chronic Cat. 2; H411

4. FIRST AID MEASURES

4.1. General advice

If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately.

Product Name: ECOBEE

4.2. If inhaled

Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a physician.

4.3. In case of skin contact

Wash with plenty of water. Consult a physician if necessary.

4.4. In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

4.5. If swallowed

Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

5. FIREFIGHTING MEASURES

5.1. General Information

Except for the fireman people should be removed from the area. Don't stay the dangerous zone without your personal protective equipment.

5.2. Extinguishing media

Water spray, Dry powder, Foam, Carbon dioxide (CO₂)

5.3. Non suitable extinguishing media

None known.

5.4. Specific hazards during firefighting

None known.

5.5. Hazardous combustions products

Dangerous gases or fumes may occur in case of fire.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapours, mist or gas. Ensure adequate ventilation, especially in confined areas. Immediately evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment. Refer to special instructions/ Safety data sheets.

Product Name: ECOBEE

6.3. Methods for cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Normal measures for preventive fire protection.

7.2. Conditions for safe storage, including any incompatibilities

In original package, keep tightly closed in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ensure the eye wash station.

8.2. Suitable engineering parameters

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

8.3. Personal Protection Equipment

8.3.1. General protection and hygiene applications.

Use only in well ventilated areas.
Keep away from the foods, drinks and animal feed.
Take off your dirty clothes directly.
Wash your hands after handling.
Keep away from contact eye and skin directly.
Don't smoke.

8.3.2. Protection the body

8.3.2.1. Eye-Face Protection

Avoid contact with the skin and the eyes. Tightly fitting safety goggles, Safety glasses with side-shields compatible with EN 166.



Product Name: ECOBEE

8.3.2.2. Hand protection

Please take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g., temperature).



8.3.2.3. Skin and body protection

Body protection must be chosen based on level of activity and exposure. Protective suit should be durable for chemical and physical conditions.



8.3.2.4. Respiratory protection

No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odors exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type filter or appropriate combined filter in compliance with EN 141.



8.3.3. Heat effects

If the material heat-critical, the personal protective equipment must be chosen more carefully.

8.3.4. Environmental exposure controls

The obligations around the existing legislation for the protection of the environment must be met in full.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Appearance	: Clear Yellowish Liquid
Odor	: Characteristic
Other information	
Density	: No data available
Solubility	: No data available
Viscosity	: No data available
Ionic structure	: Nonionic
Solid Content(160°C)	: 98±2
pH (20°C)	: No data available
Surface Tension	: 20±1
Flash Point	: No data available
Boiling Point	: No data available
Vapor Pressure	: No data available
Explosibility	: Non explosive

Product Name: ECOBEE

10. STABILITY AND REACTIVITY

Chemical stability	: Stable at normal ambient temperature and pressure.
Possibility of hazardous reactions	: None known.
Conditions to avoid	: Direct heating, dirt, chemical contamination, sunlight, UV or ionizing radiation.
Incompatible materials to avoid	: None known.
Hazardous decomposition products	: No decomposition if stored normally.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: LD50 Rat > 2.000 mg/kg LC50 Rat 2 mg/l, 4h, aerosol LC50 Rat > 11,78 mg/l 4h aerosol (5% Solution)
Acute dermal toxicity	: LD50 Rat > 2.000 mg/kg
Eye irritation	: Rabbit; Irritating
Skin irritation	: Rabbit; not irritating
Long term effect	: Not known.

12. ECOLOGICAL INFORMATION

Toxicity	: LC50 2,75 mg/l, Danio rerio (zebra balığı), 96 h NOEC: 0,56 mg/l, Danio rerio (zebra balığı), 96 h EC50: 22,61 mg/l, Daphnia Similis, 48 h NOEC: 10 mg/l, Daphnia Similis, 48 h EC50: 5,5 mg/l, Selenastrum capricornutum, 96h NOEC: 1 mg/l, Selenastrum capricornutum, 96h
Biodegradability	: Not easily biodegradable
Bio accumulative potential	: No data available
Other adverse effects	: May be causes long term effect.

The raw material SDSs are taken into consideration while preparing the document.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state and federal government regulations.

All materials that come in contact with the product must either be set aside for recovery or disposed of as a hazardous substance/material. Do not let the product enter waters, waste water or soil.

14. TRANSPORT INFORMATION

Land Transport ADR/RID Class	: 9
Packaging Group	: III
UN No	: 3082
Transport Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Product Name: ECOBEE

Maritime Transport IMDG Class : 9
III
3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Air Transportation

ICAO-TI and IATA-DGR : 9
III
3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Special precautions for user : -

15. REGULATORY INFORMATION

Classification, Labelling and Packaging of Substances and Mixtures with EU Regulation (CE) 1272/2008

Regulation about Preparing of Safety Data Sheets of Hazardous Substances and Mixtures (13.12.2014 -29204)

Regulation about Occupational Health and Safety (18.12.2014 -29209)

Occupational Health and Safety Requirements for Handling of Carcinogenic and Mutagenic Chemicals (06.08.2013 -28730)

Occupational Health and Safety Requirements for Handling of Chemicals Kimyasal (12.08.2013 - 28733)

Personal Protective Equipment at Work Regulations (02.07.2013 -28695)

Manual Handling Regulations (24.07.2013 -28717)

Regulation about Prevent and decreasing of Major Industrial Accidents (30.12.2013-28867)

Waste legislation and regulations (02.04.2015 -29314)

16. OTHER INFORMATION

16.1. Full text of H-Statements referred to under sections 2 and 3.

H319: Causes serious eye irritation.

H332: Harmful If inhaled.

H411: Toxic to aquatic life with long lasting effects.

16.2. Text of P-phrases mentioned in Section 3

P264: Wash with water thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Product Name: ECOBEE

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362: Take off contaminated clothing and wash before reuse.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P391: Collect spillage.

16.3. Key information source used in the safety data sheet

The raw material SDSs and national/international regulations are taken into consideration while preparing the document.

16.4. Abbreviations

LC...	: %50 Lethal Concentration
LD...	: %50 Lethal Dose
DNEL	: Derived No-Effect Level
PNEC	Predicted No Effect Concentration
NOAEL	: No observable adverse effect level
NOEL/NOEC	: No Observed-effect level/concentration
EC...	: Effect concentration
ADR	: European Agreement Concerning the International Carriage of Dangerous Goods by Road
IATA	: International Air Transport Association
IMDG	: International Maritime Dangerous Goods

16.5. Preparing and Revision Information

Preparing Date	: 16.05.2017
Revision Number	: 01
Revision Reason	: Added surface tension

Prepared by;

Name	: Havva Seda Dülger
Document Number	: NBC - 01.80.02
Validity Date	: 07.04.2019
Communication information	: sdulger@dengkimya.com

16.6. General Using Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.